



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/943,308	08/31/2001	Allen John Walenty	GP-300882	8716
7590	11/19/2003		EXAMINER	
CHRISTOPHER DEVRIES General Motors Corporation Legal Staff P.O. Box 300 Mail Code 482-C23-B21 Detroit, MI 48265-3000			TRAN, DALENA	
			ART UNIT	PAPER NUMBER
			3661	
DATE MAILED: 11/19/2003				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/943,308	Applicant(s) WALENTY ET AL.
Examiner	Art Unit	
Dalena Tran	3661	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 27 August 2003.

2a) This action is **FINAL**. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-12 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1-12 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:

1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

13) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

a) The translation of the foreign language provisional application has been received.

14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s). ____ .
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) Notice of Informal Patent Application (PTO-152)
3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) ____ . 6) Other: ____ .



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT PAPER

6

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

DETAILED ACTION

Notice to Applicant(s)

1. This office action is responsive to the amendment filed on 8/27/03. Claims 1-12 are pending.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-2, 4, and 10-12, are rejected under 35 U.S.C. 103(a) as being unpatentable over Toepfer et al. (6,460,943) in view of Clar et al. (6,135,578).

As per claim 1, 10, and 12, Toepfer et al. disclose a method of operation for a vehicle braking system including a driver activated brake pedal, a brake pressure modulator, and an anti-lock brake control that activates the brake pressure modulator to modulate vehicle braking upon detection of an insipient wheel lock condition, the method comprising the steps: providing a brake pedal sensor capable of determine at least two brake pedal positions, periodically measuring vehicle deceleration and a brake pedal position during activation of the braking system when insipient wheel lock condition is not detected (see columns 3-4, lines 32-35; and identifying conditions of degraded braking effectiveness based on the periodically measuring vehicle deceleration and brake pedal position (see the abstract; and columns 5-7, lines 57-15). Toepfer et al. do not disclose adaptively adjusting a brake pressure control parameter. However, Clar et al. disclose adaptively adjusting a brake pressure control parameter of anti-lock brake

control when a condition of degraded braking effectiveness is identified so as to compensate for the identified condition (see columns 2-3, lines 13-43; and columns 4-6, lines 53-16). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al. by combining adaptively adjusting a brake pressure control parameter of anti-lock brake control when a condition of degraded braking effectiveness is identified so as to compensate for the identified condition for carrying out an automatic braking operation makes it possible to brake the vehicle as rapidly as possible in a critical driving situation.

As per claim 2, Toepfer et al. do not disclose increase rate of brake pressure application. However, Clar et al. disclose wherein the anti-lock brake control releases and then re-applies brake pressure at a determine apply rate upon detection of an insipient wheel lock condition, and the step of adaptively adjusting a brake control parameter includes adjusting the determined apply rate in a manner to provide an increased rate of brake pressure application (see columns 2-3, lines 13-43; and columns 4-6, lines 53-16). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al. by combining wherein the anti-lock brake control releases and then re-applies brake pressure at a determine apply rate upon detection of an insipient wheel lock condition, and the step of adaptively adjusting a brake control parameter includes adjusting the determined apply rate in a manner to provide an increased rate of brake pressure application to improve the reliability of vehicle braking system.

As per claim 4, Toepfer et al. do not disclose road surface friction coefficient. However, Clar et al. disclose estimating a road surface friction coefficient based on the periodically

measured deceleration and brake pedal position (see column 6, lines 17-43), determining apply rate based on the estimated road coefficient of friction when conditions of degraded braking effectiveness are identified and are not identified (see columns 6-7, lines 43-26). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al. by combining determining estimating a road surface friction coefficient based on the periodically measured deceleration and brake pedal position for appropriately adjusting braking control based on various driving surface conditions.

Claim 11 is system claim corresponding to method claims 1,10, and 12 above. Therefore, it is rejected for the same rationales set forth as above.

4. Claims 3, and 6, are rejected under 35 U.S.C.103(a) as being unpatentable over Toepfer et al. (6,460,943), and Clar et al. (6,135,578) as applied to claims 1, and 4 above, and further in view of Szekely (3,844,385).

As per claim 3, Toepfer et al., and Clar et al. do not disclose the identified condition of degraded braking effectiveness is brake wear. However, Szekely discloses the identified condition of degraded braking effectiveness is brake wear, and the determined apply rate is increased by a predefined factor (see column 5, lines 4-29; and columns 5-6, lines 53-18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al., and Clar et al. by combining the identified condition of degraded braking effectiveness is brake wear, and the determined apply rate is increased by a predefined factor for detecting failure of vehicle brake system.

As per claim 6, Toepfer et al., and Clar et al., do not disclose brake fading, and brake temperature. However, Szekely discloses the identified condition of degraded braking

effectiveness is brake fading, and the measure of braking effectiveness degradation is determined according to an amount by which an estimate of brake temperature exceeds a nominal brake temperature (see columns 2-3, lines 35-30). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al., and Clar et al. by combining the identified condition of degraded braking effectiveness is brake fading, and the measure of braking effectiveness degradation is determined according to an amount by which an estimate of brake temperature exceeds a nominal brake temperature for correction of braking value at an equalization of braking value temperature of the wheel brake.

5. Claim 5, is rejected under 35 U.S.C.103(a) as being unpatentable over Toepfer et al. (6,460,943), and Clar et al. (6,135,578) as applied to claim 4 above, and further in view of Gray, Jr. et al. (5,505,527).

As per claim 5, Toepfer et al., and Clar et al. do not disclose compensating the estimated road surface coefficient of friction. However, Gray, Jr. et al. discloses compensating the estimated road surface coefficient of friction for error due to the identified condition of degraded braking effectiveness, and determining the apply rate based on the compensate estimate of road surface coefficient of friction and the measure of braking effectiveness degradation (see columns 5-6, lines 1-33). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al., and Clar et al. by combining compensating the estimated road surface coefficient of friction for error due to the identified condition of degraded braking effectiveness, and determining the apply rate based on the compensate estimate of road surface coefficient of friction and the measure of braking

effectiveness degradation to provide pressure regulating to monitor the operation of a vehicle braking system.

6. Claim 7, is rejected under 35 U.S.C.103(a) as being unpatentable over Toepfer et al. (6,460,943), and Clar et al. (6,135,578) as applied to claim 4 above, and further in view of Takagi et al. (4,708,406).

As per claim 7, Toepfer et al., and Clar et al., do not disclose condition of degraded braking effectiveness is fluid leakage. However, Takagi et al. disclose the identified condition of degraded braking effectiveness is fluid leakage, and the measure of braking effectiveness degradation is determined according to an estimated rate of the fluid leakage (see columns 5-6, lines 48-56). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al., and Clar et al. by combining the identified condition of degraded braking effectiveness is fluid leakage, and the measure of braking effectiveness degradation is determined according to an estimated rate of the fluid leakage for properly detect any abnormal can be result of degraded braking effectiveness.

7. Claim 8, is rejected under 35 U.S.C.103(a) as being unpatentable over Toepfer et al. (6,460,943), and Clar et al. (6,135,578) as applied to claim 4 above, and further in view of Miller (4,800,991).

As per claim 8, Toepfer et al., and Clar et al., do not disclose mis-adjustment of adjustable brake. However, Miller discloses the braking system includes an adjustable brake, the identified condition of degraded braking effectiveness is mis-adjustment of adjustable brake, and the measure of braking effectiveness degradation is determined according to a difference in wheel speeds attributable to such mis-adjustment (see columns 2-3, lines 60-34; and columns

5-6, lines 42-42). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al., and Clar et al. by combining the braking system includes an adjustable brake, the identified condition of degraded braking effectiveness is mis-adjustment of adjustable brake, and the measure of braking effectiveness degradation is determined according to a difference in wheel speeds attributable to such mis-adjustment for ensuring periodic adjustment of vehicle braking systems to maintain brake mechanism motion within predetermined level.

8. Claim 9, is rejected under 35 U.S.C.103(a) as being unpatentable over Toepfer et al. (6,460,943), and Clar et al. (6,135,578) as applied to claim 4 above, and further in view of Lator et al. (6,332,354).

As per claim 9, Toepfer et al., and Clar et al., do not disclose vehicle weight. However, Lator et al. disclose the identified condition of degraded braking effectiveness is excessive vehicle weight, and the measure of braking effectiveness degradation is determined according to an amount by which an estimate of vehicle weight exceeds a reference weight (see the abstract; columns 2-3, lines 29-65; columns 4-5, lines 21-13; and columns 7-8, lines 36-44). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teach of Toepfer et al., and Clar et al. by combining the identified condition of degraded braking effectiveness is excessive vehicle weight, and the measure of braking effectiveness degradation is determined according to an amount by which an estimate of vehicle weight exceeds a reference weight for accurately monitor the operation of the vehicle braking system.


Remarks

9. Applicant's argument filed on 8/27/03 has been fully considered and they are deemed to be persuasive. However, upon updated search, the new ground of rejection has been set forth as above.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dalena Tran whose telephone number is 703-308-8223. The examiner can normally be reached on M-F (7:30 AM-5:30 PM), off every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Cuchlinski can be reached on 703-308-3873. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-7687 for regular communications and 703-305-7687 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.



TAN Q. NGUYEN
PRIMARY EXAMINER

/dt
November 12, 2003